

# BIRD REPELLENT

### For Use as a Bird Repellent

For use on Commercial Turf and Ornamentals around Commercial Buildings and Public Parks, Commercial Building Structures, Non-Fish Bearing Temporary Pools, Non-Fish Bearing Ponds and Dams, Standing Water in Fields, Water Impoundments and Non-Fish Bearing Fountains.

For use on Berries, Cherries, Apricots, Peaches, Plums, Apples, Grapes, Pome and Stone Fruits, Cereal Grains, Sunflowers,

Turf Farms, Outdoor Ornamental Nurseries.

# WARNING

First Aid		
If In Eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a Poison Control Center or doctor for treatment advice.	
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	
If On Skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.	
If Inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center for further treatment advice.	
HOT LINE NUMBER		
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the 24-hour National Pesticide		

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the 24-hour National Pesticide Telecommunications Network at 1-800-858-7378.

#### SEE REAR PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Active Ingredient	By Wt.
Methyl Anthranilate	26.4%
Other ingredients	73.6%
[otal	100.0%

This product contains 2.29 lbs. of active ingredient per gallon.

This product has been formulated from food grade ingredients.



## Corvus Repellent Inc.

P.O. Box 336277 | Greeley CO 80634 | 970-356-5374 EPA EST. No. 87304-CO-003 | EPA REG. No. 87304-1

NET CONTENTS: 2.5 U.S. Gallons (9.45 liters) 320 fl. oz.

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals WARNING

Causes skin irritation. Causes moderate eye injury. Do not get on skin or in eyes or on clothing. Wear appropriate protective gloves and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. PERSONAL PROTECTIVE EQUIPMENT PPE for Applicators/Handlers: Long sleeve shirt, long pants, shoes, socks and protective eyewear.

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### GENERAL INSTRUCTIONS AND INFORMATION

Do not apply this product in any way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe consult the state or tribal agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

The Re-Entry Interval (REI) for this product is 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is: Protective eyewear such as gogqles, face shield or safety glasses.

#### **User Safety Recommendations**

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others or pets to enter the treated area until sprays have dried.

This product is used to discourage birds from feeding on Berries, pome and stone fruits, cereal grains and sunflowers. It discourages birds from settling on turf and ornamentals, drinking and bathing in non-fish bearing bodies of water such as water impoundments and fountains and controls roosting in and on structures.

**Preparation and Mixing Instructions.** If the formulation is frozen or solidified, warm, in the sun or a water bath, to 40°F. Stir product thoroughly, add water and stir until all ingredients are evenly distributed.

Equipment	Mixing instructions
Agricultural Sprayer	Mix one part repellent with 99 parts of water to produce a 1% solution. Apply at a rate of 1 pint to 2.5 gallons of finished mixture (0.28 to 5.73 lbs. a.i.) per acre depending on vegetation density (due to increased surface area more product may be required).
Hand Sprayers	Mix one part of repellent with 99 parts of water (1% solution). Use 16 ounces (1 pt.) to 2.5 gallons of finished mixture (0.28 to 5.73 lbs. a.i.) per acre depending on vegetation density (i.e. due to increased surface area more product may be required).
Aerial Application	Mix one part of repellent with 39 parts of water (1 pint per 5 gallons). Apply 5 gallons of tank mix/acre. (0.28 lbs. a.i.) unless a different rate is specified for crop type

Application Instructions -

<u>Timing:</u> Begin applications when crop begins to ripen or birds begin feeding. Reapply every 5 to 8 days if birds reappear. Harvest crop 5 to 8 days after last treatment or after all odor and taste of the product has dissipated.

For California Only - Mixer/handlers and air blast applicators must wear coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of repellent per day. Harvesters must wear gloves and long sleeved shirts. <u>Berries:</u> Apply at a rate of 0.5 to 1.0 gallon (1.15 to 2.29 lbs. a.i.) per acre. <u>Table grapes:</u> Apply at a rate of 0.5 to 1 gallon (1.15 to 2.29 lbs. a.i.) per acre.

For New York Only - Aerial application is prohibited. This product is not to be used on grapes within Suffolk County, NY

<u>Cereal Grains - [rice (including white and wild), corn, (including sweet corn & popcorn), millet, oats, and sorghum].</u> Begin application 30 days before harvest when crop begins to ripen or birds begin feeding.

<u>Rice seed treatment</u> - Spray seed with a 25% solution of repellent. Do not soak seed in the repellent. Apply to flooded fields. Do not apply to bare soil. Keep water in fields until seed is fully germinated.

<u>Rice</u> - Apply to rice when grain heads are maturing and, for maximum repellency treat rice BEFORE significant feeding begins. Apply this product at 1 to 2 pints per acre in a spray volume of 10 to 20 gallons per acre.

<u>Sweet Com</u> - Begin application 10 days before harvest when crop begins to ripen or birds begin feeding. Reapply at 5-day intervals until harvest.

Sunflowers - Follow Agricultural, or Hand Spray Application Instructions Above.

For California Only - Mixer/handlers and air blast applicators must wear coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of repellent concentrate per day. Harvesters must wear gloves and long sleeved shirts. Replant 22 days after application.

Pome Fruit [Apples]. Follow Agricultural or Hand Spray Application Instructions Above

For California Only - Mixer/handlers and air blast applicators must wear coveralls over normal work clothes and not prepare spray solutions using more than 50 gallons of repellent product per day. Harvesters must wear gloves and long sleeved shirts.

Non-fish bearing bodies of water, temporary pools associated with airports and decorative fountains. Add 1 to 2 parts of repellent product per 500 parts of water in the body of water 2 gal (4.58 lbs. a.i.)/65 cubic feet (500 gallons) of water. Mix repellent with water before adding to pool. Reapply at 3 to 4 week intervals if necessary to maintain repellency. [New York only - This product may only be used on non-fish-bearing bodies of water and temporary pools of standing water on paved areas or construction sites at or near airports.]

<u>Turf</u> - Mix 1 – 2 gallons of repellent product (2.29 lbs. ai.) per acre (0.105 lbs. ai./1000 square feet). See <u>Agricultural and Hand Sprayers Application</u> instructions. Reapply product at intervals of 7 to 14 days, or after each mowing, if necessary to maintain repellency. Postpone irrigation for at least one hour after application. Feeding geese on or near areas where birds are to be excluded may reduce the effectiveness of this product.

<u>Ornamentals.</u> Mix 1 gallon of repellent product (2.29 lbs. ai.) with 40 gallons of water and apply to foliage in the morning or late afternoon. See <u>Agricultural and Hand Sprayers Application</u> instructions. Allow to dry before watering.

Agricultural and Commercial Structures, Commercial buildings and complexes, Industrial buildings, building/construction sites and installations, statutes, fences - Mix 1 part repellent product with 1 part water and apply to structure with hand sprayer.

<u>Animal feed facilities (barns):</u> Remove all barn animals before application. Cover all feed before application. Mix 1 part repellent product with 1 part water and apply to structure with a quiet hand sprayer. Apply the repellent with a quiet power sprayer after the birds have roosted or nested after dark for three consecutive nights. May be applied to cloth and placed in rafters to repel birds from returning.

<u>Swallows and woodpeckers:</u> Apply to nests before eggs or young are present. Do not apply to eggs or breeding birds.

Text continued on back side of label.

AVEX 2.5 GALLON 110711

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container apart from pesticides, fertilizers, food or feed that may cause cross-contamination from odor; and inaccessible to children. Avoid freezing or placing containers in direct sunlight. If frozen thaw and remix contents. Keep tightly closed when not in use.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of by exposing to direct sunlight until all odor is gone or the product has dissipated or at a waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable Container. Do not reuse or refill this container.

Clean container promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of CORVUS REPELLENT INC. or Seller, To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold CORVUS REPELLENT INC. and Seller harmless for any claims relating to such factors.

CORVUS REPELLENT INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or CORVUS REPELLENT INC., and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CORVUS REPELLENT INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither CORVUS REPELLENT INC. nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CORVUS REPELLENT INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CORVUS REPELLENT INC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

CORVUS REPELLENT INC. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of Sale and Limitation of Warranty and Liability which may not be modified except by written agreement signed by a duly authorized representative of CORVUS REPELLENT INC.